



## MATERIAL SAFETY DATA SHEET (According to EC regulation 1907/2006)

## 1.1 PRODUCT

Trade name: SILICON GREASE 9Usage: Lubricant for rubber and plasticsChemical name: Polydimethylsiloxane base compound

## 1.2 COMPANY

LOXEAL s.r.l. Via Marconato, 2 - 20031 Cesano Maderno (Mi) Tel. (+39) 0362 551701 Fax (+39) 0362 524225 Responsible: MSDS Officer - e mail: logistic@loxeal.com - tel. 0362-553930 (09.00-18.00)

## 2. THE MAIN HAZARD

Hazard warning not required. Non – hazardous material

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Polydimethylsiloxane based compound.

## 4. FIRST AID PROCEDURES

Product on skin : wash with water and soap.
Product on eyes : flush the eye with plenty of water for at least 10 minutes, holding eye open.
Product ingested : wash out mouth with water and give cold water or milk. Do not induce vomiting. Obtain medical attention.
Product inhaled : expose to fresh air.

## 5. FIRE PROTECTION

Extinguishing media : water, foam, dry chemical, carbon dioxide, sand. Special extinguishing procedures : wear self-contained breathing apparatus. Explosion and firing hazard : keep containers cool with water spray.

## 6. SPILLAGE

Adsorb spills using earth or sand and collect for disposal.

## 7. HANDLING AND STORAGE

No special measure required. Product may become electro statically charged during pouring or filling. Vcr storage class: 10

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

Eye protection: goggles. When handling observe the usual precautionary measures for chemicals.

## 9. PHYSICAL AND CHEMICAL DATA

Appearance	: paste
Colour	: translucent
Odour	: odourless
Boiling point	: N.A.
Explosion limits	: N.A.
Vapour pressure (20°C)	: < 0,0001 mbar
Viscosity (25°C)	: thixotropic
Water solubility (20°C)	: not soluble
pH - value	: neutral
Density (20°C) DIN 51757	: _ 1,0 g/ml
Flash point DIN 51376	: > 300 °C
Ignition temperature	: > 400 °C





## **10. STABILITY AND REACTIVITY**

Product is stable at normal conditions. Hazardous decomposition products : not known.

#### 11. HEALTH HAZARD INFORMATION

Acute Toxicity: LD 50 oral > 5000 mg/kg (rat)Skin: non irritant (rabbit).Eyes: non irritant (rabbit).Sensitisation: not known.

#### 12. ENVIRONMENTAL DATA

Do not convoy in water discharges. Hazard class for water: WGK 1 (GWRA 17.05.1999).

#### 13. DISPOSAL

In accordance with local regulation. Recommended method is by incineration. European waste catalogue ( EWC) code: 060801

#### 14. TRANSPORT INFORMATION

Way	Class	Label
Road - Rail	ADR/RID:	
Sea	IMO/IMDG:	
Air	ICAO/IATA:	

Not classified. Labelling not required.

#### **15. LABELLING INFORMATION**

No labelling is required in accordance with the EC directives-.

#### **16. ADDITIONAL INFORMATION**

The information contained herein is based on our present state of knowledge and experience. The purpose of this MSDS is to describe the product in terms of its safety requirement, without any Warranty about the quality of the product.